



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 1 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516649  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/15/20 1700  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Platte Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

**Comments:**

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 2 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516650  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 08/04/20 1930  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Platte Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<b>Miscellaneous Analyses</b>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

**Comments:**

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 3 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516651  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/06/20 1000  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Pierz Fish Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

**Comments:**

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 4 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516652  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/16/20 0700  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Pierz Fish Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

**Comments:**

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 5 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516653  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/06/20 0700  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Sullivan Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<b>Miscellaneous Analyses</b>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 6 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516654  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/13/20 0700  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Sullivan Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 7 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516655  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/11/20 0800  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Peavy Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

**Comments:**

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 8 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516656  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/20/20 0800  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Peavy Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*





# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 9 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516657  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/03/20 1730  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Cedar Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 10 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516658  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/18/20 1200  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Cedar Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 11 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516659  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/02/20 1730  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Lake Alexander

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1			1.68 /L	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 12 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516660  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/25/20 1200  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Lake Alexander

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1			0.240 /L	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 13 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516661  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/05/20 0930  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Green Prairie Fish Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 14 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516662  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/12/20 0730  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Green Prairie Fish Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<b>Miscellaneous Analyses</b>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 15 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516663  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/12/20 1400  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Fish Trap Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1			37.3 /L	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 16 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516664  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/01/20 1500  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Pine Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*





# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 17 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516665  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/12/20 0900  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Pine Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 18 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516666  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 06/29/20 1540  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Crookneck Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1			0 /L	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 19 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516667  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/18/20 1510  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Crookneck Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1			0 /L	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 20 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516668  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 06/30/20 1900  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Shamineau

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

**Comments:**

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**September 15, 2020**  
**Revised Report**  
**Page 21 of 21**

**Report To:** Morrison County  
Attn: Galen Gruber  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Bill To:** Morrison County  
Attn: Accounts Payable  
213 SE First Avenue  
Little Falls, MN 56345-3196

**Project:** Zebra Mussel Veliger Testing  
**Lab Code:** 516669  
**Matrix:** Surface Water  
**Collection:** Other  
**Samplers:**  
**Date/Time Sampled:** 07/28/20 0700  
**Date/Time Received:** 09/02/20 1133  
**Sample Description:** Shamineau

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Spiny water fleas	Microscopy		09/14/20: 1000	1		1	Absent /100mL	
Zebra Mussel Veligers	Microscopy			1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*